

How to Get Consumer Key, Consumer Secret, Access Token and

Access Token Secret:

Version 1.0 **will soon be deprecated** and unauthorised requests won't be allowed. So, here's a post to help you do just that, along with a PHP class to make your life easier.

1. Create a Developer Account: Set yourself up a [Developer account](#) on Twitter

You need to visit the official Twitter developer site and register for a developer account. This is a **free** and necessary step to make requests for the v1.1 API.

2. Create an Application: Create an Application on the twitter dev site

What? You thought you could make unauthenticated requests? Not with Twitter's v1.1 API. You need to visit <http://dev.twitter.com/apps> and click the "Create Application" button.



[Home](#)

My applications



On this page, fill in whatever details you want. For me, it didn't matter because I just wanted to make a load of block requests to get rid of spam followers. The point is you are going to get yourself *a set of unique keys* to use for your application.

So, the point of creating an application is to give yourself (and twitter) a set of keys.

These are:

- The consumer key
- The consumer secret
- The access token
- The access token secret

There's a little bit of information [here](#) on what these tokens for.


3. Create Access Tokens: You'll need these to make successful requests

OAuth requests a few tokens. So you need to have them generated for you.

Your access token

It looks like you haven't authorized this application for your own Twitter account yet. For your convenience, we give you the opportunity to create your OAuth access token here, so you can start signing your requests right away. The access token generated will reflect your application's current permission level.


Create my access token




Click "create my access token" at the bottom, then once you scroll to the bottom again, you'll have some newly generated keys. You need to grab the four previously labelled keys from this page for your API calls, so make a note of them somewhere.

4. Change Access Level: You don't want read-only, do you?


If you want to make any decent use of this API, you'll need to change your settings to Read & Write if you're doing anything other than standard data retrieval using GET requests.



Choose the "Settings" tab near the top of the page.



Here Your all setting of parameters:



Plug-in display your(s) latest tweets on Joomla. You can display any twitter-user tweets on your Joomla site by simple adding the twitter user-name.

Twitter search api does not allow you to fetch the tweets for more than seven days

For more information click here <https://dev.twitter.com/docs/using-search>

For any query or doubt feel free to contact us:

Shoot a ticket - <http://webkul.com/ticket>

